

10/828,799  
PV 892

(21) (A1) **2,293,957**  
(22) 2000/01/06  
(43) 2000/07/07

(72) HARKNESS, DAVID H., US

(72) LU, DAOZHENG, US


(71) NIELSEN MEDIA RESEARCH, INC., US

(51) Int.Cl.<sup>7</sup> H04H 1/00, H04L 12/16, H04N 7/025

(30) 1999/01/07 (09/226,521) US

(54) **DETECTION DE LIENS AUX MEDIAS DANS DES SIGNAUX  
RADIODIFFUSES**

(54) **DETECTION OF MEDIA LINKS IN BROADCAST SIGNALS**



(57) A detection apparatus includes a tuner tuned to the program and a meter coupled to the tuner and arranged to detect content ancillary information from the program tuned by the tuner. The content ancillary information may be a media link, closed captioning information, or the like. The meter may also be arranged to extract a broadcast signature from the program. A comparator compares the broadcast signature to a reference signature selected from a library of reference signatures based upon the content ancillary information. Broadcast signatures from unknown programs may be clustered at least partially on the basis of the content ancillary information.



Attorney Docket  
28049/34692

ABSTRACT OF THE DISCLOSURE

5 A detection apparatus includes a tuner tuned to  
the program and a meter coupled to the tuner and arranged to  
detect content ancillary information from the program tuned  
by the tuner. The content ancillary information may be a  
media link, closed captioning information, or the like. The  
meter may also be arranged to extract a broadcast signature  
from the program. A comparator compares the broadcast  
10 signature to a reference signature selected from a library  
of reference signatures based upon the content ancillary  
information. Broadcast signatures from unknown programs may  
be clustered at least partially on the basis of the content  
ancillary information.

---

## DETECTION OF MEDIA LINKS IN BROADCAST SIGNALS

Technical Field of the Invention

The present invention relates to detection of media links (such as URLs) which are embedded in programs that are transmitted by television and/or radio signal transmission sources, such as television and/or radio networks, local broadcasters, cable operators, video servers, Web sites, and the like.

Background of the Invention

As used herein, programs mean commercials, regular programming material, documentaries, and/or the like, which are transmitted for reception by televisions, radios, computers, and other equipment provided with video and/or audio tuners. Also as used herein, media links include URLs embedded in video and/or audio, surrogate URLs, or any other links in video and/or audio that link a content recipient to content provided by a content provider (such as a Web site). A surrogate URL, for example, may be an ISCII or other code that is embedded in content and that may be used to look up an URL for linking to content.

Programs are transmitted by transmission sources through the use of satellites, over the air by way of transmitting antennas, or over cables such as wires or

Attorney Docket  
28049/34692

optical fibers. These transmission sources can be networks, local broadcasters, satellite broadcasters, video servers, Web sites, cable programmers, and the like.

It is frequently desirable to detect the transmission of programs by the transmission sources. For example, in preparing program rating reports, the receivers of statistically selected panelists are metered in order to determine at least (i) the channels to which the receivers are tuned and (ii) the times during which the receivers are tuned to those channels. The resulting tuning data are extrapolated over the population as a whole, or over relevant segments of this population, in order to report ratings. However, because the identities of programs carried in the channels reported in the tuning data cannot always be inferred from the tuning data, it is necessary to determine, or at least verify, the identity of the programs transmitted in the channels and during the times covered by the tuning data.

As another example, advertisers often desire to verify certain information regarding the transmission of their commercials by transmission sources. This information includes a verification (i) that the commercials were

Attorney Docket  
28049/34692

actually transmitted, (ii) that the commercials were transmitted in their entirety, and (iii) that the commercials were transmitted in the correct time slots and in the correct channels. This information allows advertisers to determine whether they received the value for which they contracted with the relevant transmission sources.

As yet another example, advertisers often desire to ascertain the advertising strategies of competitors. These advertising strategies may be discerned from the types of advertisements run by competitors, the competitors' expenditures on such advertisements, the media chosen to carry such advertisements, and the like.

Accordingly, systems have been developed in order to identify transmitted programs. For example, in connection with reporting program ratings, a program verification system known as the AMOL (Automated Monitoring of Line-up) program verification system is operated by the assignee of the present invention. In this AMOL program verification system, a code is inserted into the vertical blanking interval of programs. Monitoring equipment at sites located in relevant geographical areas read the AMOL

Attorney Docket  
28049/34692

codes from transmitted programs and detect the channels in which these programs are transmitted as well as the times during which these programs are transmitted. Accordingly, the AMOL program verification system is able to verify that particular programs were transmitted in corresponding particular channels, during corresponding particular time slots, and for particular corresponding amounts of time. The verified program/channel relationship, coupled with the channel tuning data acquired from the receivers of the statistically selected panelists, are used to determine the programs to which these receivers were tuned.

As another example, the assignee of the present invention operates a service known as the Monitor Plus service in which sets of commercial monitoring equipment are placed in selected geographical monitoring areas. The sets of commercial monitoring equipment tune to each of the channels available in the corresponding geographical areas and extract broadcast signatures from commercials carried in these channels. The channels, times, and dates of the broadcast signature extractions are also noted. The extracted broadcast signatures are compared to previously extracted reference signatures. In each geographical

Attorney Docket  
28049/34692

monitoring area, these reference signatures are stored in a reference signature library along with identification information regarding the commercials from which the reference signatures were extracted.

Because there is typically many reference signatures stored in a reference signature library, and because comparing the broadcast signatures to all such reference signatures would require a substantial amount of time, hash codes are used to focus the search such that the search finds only those reference signatures which are potential matches to the broadcast signatures. The hash codes are computed from one or more characteristics, such as luminance, of the broadcast signatures so that only those reference signatures producing similar hash codes within some range are compared to the broadcast signatures.

When broadcast signatures match reference signatures, the identities of the transmitted commercials are known from the identity information stored with the matching reference signatures. Also, the channels, times, and dates of commercial transmissions are known from the matching broadcast signatures. The sets of monitoring equipment can also detect the length of the commercial as

Attorney Docket  
28049/34692

transmitted by comparing multiple broadcast signatures and multiple reference signatures extracted from the same commercial. Accordingly, reports can be generated that permit advertisers to verify that their commercials have been run in the channels, on the days, in the time slots, and for the durations desired, and/or to permit advertisers to ascertain the advertising strategies of their competitors.

When broadcast signatures do not match reference signatures, however, it may be possible that a new commercial has been transmitted for which there are no reference signatures stored in the library. In this case, the extracted broadcast signatures corresponding to each possibly new commercial are stored for later transmission to a central facility where the possibly new commercial is viewed and identified by an attendant. This viewing and identification process is usually referred to as new commercial discovery. Once identified, the new commercial's broadcast signatures are converted to reference signatures and are stored in the reference signature libraries.

Clustering is performed in each geographical monitoring area so that a geographical monitoring area does



Attorney Docket  
28049/34692

not send the same new commercial multiple times to the central facility for new commercial discovery. During clustering in a geographical monitoring area, the broadcast signatures of each possibly new commercial are compared to the broadcast signatures of the other possibly new commercials in order to detect duplicates. Duplicates are not transmitted to the central facility. Accordingly, the efficiency of new commercial discovery is increased more efficient because only one instance of each possibly new commercial is transmitted to, and processed by, the central facility. However, because an instance of a possibly new commercial may be received at the central facility from more than one geographical monitoring area, clustering is again performed at the central facility prior to each initiation of new commercial discovery.

Furthermore, it is expected that other appliances, such as computers and set top boxes, will be equipped with tuners so that these appliances can display video and/or audio, such as television and/or radio programs. It is also expected that this video, and/or audio will contain media links. Accordingly, if a user of a computer, digital television, set top box, or other video and/or audio

Attorney Docket  
28049/34692

receiving device is viewing a program of interest, and desires to access other information associated with the program, the user can click on the program. Clicking on the program will cause a media link, which is embedded in the program, to be sent back to a Web site or other content provider with the result that additional information will be downloaded to the user's appliance.

Because these media links will likely uniquely identify the programs in which they are used, the present invention is directed to an arrangement for detecting these media links in order to determine the identities of the programs in which the media links are embedded. Accordingly, the present invention is useful in an AMOL type system, a Monitor Plus type system, or in other systems in which the identity of a transmitted program is desired.

#### Summary of the Invention

In accordance with one aspect of the present invention, a detection apparatus for the detection of a media link embedded in a program comprises a tuner and a meter. The tuner tunes to the program. The meter is

Attorney Docket  
28049/34692

coupled to the tuner and is arranged to detect the media link embedded in the program tuned by the tuner.

In accordance with another aspect of the present invention, a data acquisition system for the acquisition of identifying data from a program comprises a tuner and a meter. The tuner is tuned to the program. The meter is coupled to the tuner and is arranged to capture first and second program identifying data identifying the program tuned by the tuner. The first program identifying datum is a media link embedded in the program, and the second program identifying datum is a program identifying datum other than a media link.

In accordance with yet another aspect of the present invention, a program identification system comprises a tuner, a meter, and a comparator. The tuner is tunable to at least one of a plurality of channels. The meter is coupled to the tuner, and the meter is arranged to detect content ancillary information from a program carried in a channel tuned by the tuner and to extract a broadcast signature from the program. The comparator is arranged to compare the broadcast signature to a reference signature

Attorney Docket  
28049/34692

selected from a library of reference signatures based upon the content ancillary information.

In accordance with yet another aspect of the present invention, a method of clustering signatures comprising the following steps: a) extracting broadcast signatures from programs; b) detecting content ancillary information from the programs; and, c) comparing one of the broadcast signatures having content ancillary information associated therewith to others of the broadcast signatures having associated therewith substantially the same content ancillary information.

#### Brief Description of the Drawings

These and other features and advantages of the present invention will become more apparent from a detailed consideration of the invention when taken in conjunction with the drawings in which:

Figure 1 illustrates, in accordance with the present invention, an exemplary metering system which may having both monitoring equipment located at a monitoring site and a central facility located remotely from the monitoring site;

Attorney Docket  
28049/34692

Figure 2 illustrates in flow chart form one embodiment of a program that may be executed by the monitoring equipment at the monitoring site of Figure 1;

Figures 3 and 4 illustrate in flow chart form an alternative embodiment of a program that may be executed by the monitoring equipment at the monitoring site of Figure 1; and,

Figure 5 illustrates in flow chart form a clustering program that may be executed by the monitoring equipment at the monitoring site and/or by the computer at the central facility of Figure 1.

#### Detailed Description

As shown in Figure 1, monitoring equipment 10 is located at a monitoring site 12 and includes a tuner 14 which tunes to a channel contained in a signal received by a signal acquisition device 16. The signal acquisition device 16 may be a modem, a satellite dish or other antenna, or the like and acquires signals transmitted by transmission sources. The signal carried in the channel to which the tuner 14 is tuned is supplied to a meter 17 which includes a media link detector 18 and a signature extractor 20. The

Attorney Docket  
28049/34692

media link detector 18 is arranged to detect media links in a manner which is similar to present metering equipment that detect other ancillary codes, such as AMOL codes. In the present case, however, the media link detector 18 is  
5 arranged to decode the signal carried in the channel to which the tuner 14 is tuned in order to detect a media link. When the media link detector 18 detects a media link, it causes the media link to be stored in a log 22.

In the event that a media link is not contained in  
10 a program which is carried in the channel to which the tuner 14 is tuned, a signature extractor 20 extracts one or more broadcast signatures from the program. Broadcast signatures are likewise stored in the log 22. Signatures may be extracted in a manner disclosed in U.S. Patent No.

15 4,677,466. This patent discloses exemplary conditions which initiate signature extraction. However, although specific conditions are disclosed, it should be understood that other conditions may be used to initiate signature extraction.

For example, a signature may be extracted from each n<sup>th</sup>  
20 frame of a program. Moreover, any suitable techniques may be used to collect the data that form the signatures.

Attorney Docket  
28049/34692

A clock 24 is associated with the log 22 so that the time and date that each media link is detected by the media link detector 18 may be stored along with the corresponding media link. Similarly, the time and date that each broadcast signature is extracted by the signature extractor 20 may be stored along with the broadcast signature. Also, the channel to which the tuner 14 is tuned at the time that a media link is detected by the media link detector 18 or a signature is extracted by the signature extractor 20 may be stored in the log 22 along with the corresponding media link or broadcast signature.

Periodically, the data stored in the log 22 are transmitted by communication equipment 26 from the monitoring site 12 to a remotely located central facility 28 over a communication medium 30. The communication equipment 26 may be arranged to periodically transmit the data stored in the log 22 to the central facility 28. Alternatively, the communication equipment 26 may be arranged to transmit the data stored in the log 22 when the log 22 has a predetermined amount of data stored therein. As a still further alternative, the communication equipment 26 may be arranged to respond to polls from the central facility 28 in

Attorney Docket  
28049/34692

order to initiate the transfer of data to the central facility 28. Still other alternatives and combinations of alternatives are possible.

5           The communication medium 30 may be any communication medium which supports the transfer of information between remote locations. For example, the communication medium 30 may be a public telephone network, air accessed by radiating antennas, cables, the Internet, or the like.

10           A computer 32 is located at the central facility 28. The computer 32 may be arranged to identify programs from the media links and broadcast signatures transmitted to it by the communication equipment 26. For example, in the case of media links, the computer 32 may be arranged to  
15           compare the media links received from the monitoring site 12 to a library of media links which contain both the media links and the titles and/or other identifying information corresponding to the programs from which the media links were detected by the media link detector 18. Accordingly,  
20           when the computer 32 is provided with a media link from the monitoring site 12, it can identify and/or verify the program which contains that media link and which was



Attorney Docket  
28049/34692

transmitted by a transmission source. The computer 32 can also determine, if desired, that the program containing the media link was transmitted at a particular time, on a particular day, and on a particular channel from the channel, time, and date information transmitted to the central facility 28 along with the detected media link.

In some cases, the programs may be completely identified from the media link itself. In this case, there is no need to use the look up table in the identification process. In other cases, particularly where a program has been transmitted for the first time, no information is provided in the look up table from which the program may be identified. In this case, the media link may be used to access the Web site associated with the media link in order to discover the identity of the program, or the program may be viewed by personnel of the central facility 28 in order to discover the identity of the program. Then, the identity of the program may be entered into the look up table under the media link for future identifications.

The computer 32 may also be arranged to identify and/or verify programs which do not contain media links. For example, the computer 32 may be arranged to compare the

Attorney Docket  
28049/34692

broadcast signatures received from the monitoring site 12 to a library of reference signatures which contain both the reference signatures and the titles and/or other identifying information corresponding to the programs from which the reference signatures were extracted. Accordingly, when the computer 32 is provided with broadcast signatures from the monitoring site 12, it can identify programs and/or verify the transmission of programs by matching these broadcast signatures with the reference signatures stored in the reference signature library. The computer 32 can also determine, if desired, that the programs containing the extracted broadcast signatures were transmitted at particular times, on particular days, and on particular channels from the channel, time, and date information transmitted to the central facility 28 along with the extracted broadcast signatures.

Alternatively, the computer 32 may use both detected media links and extracted broadcast signatures, where available from the same program, in order to increase certainty that a program is properly identified and/or verified. As a still further alternative, the computer 32 may identify and/or verify a program from the media links in

Attorney Docket  
28049/34692

the event that the computer 32 is unable to first identify and/or verify the program from the extracted broadcast signatures.

The meter 17 operates in accordance with a software routine 50 shown in Figure 2. The software routine 50, at a block 52, determines from the output of the tuner 14 whether a program of interest is received. For example, the software routine 50 at the block 52 may operate in accordance with the above mentioned U.S. Patent No. 4,677,466 in order to determine the start of a program of interest. (Alternatively, the software routine 50 at the block 52 may be arranged to simply detect when the tuner 14 is on and is tuned to a channel in which there is content. In this case, the output of the tuner 14 is continuously monitored for media links, and broadcast signatures are extracted from the output of the tuner 14 on a continuous basis.) A program of interest may be a commercial, regular programming material, a documentary, and/or the like.

If a program of interest is not detected at the block 52, the software routine 50 waits for a program of interest. However, if a program of interest is detected, the software routine 50 at a block 54 determines whether a

Attorney Docket  
28049/34692

media link is detected by the media link detector 18 from a segment of the current program. For example, this segment may have a determinate length, such as n frames of the current program. Alternatively, this segment may have an indeterminate length determined by conditions of the program signal as disclosed in the above mentioned U.S. Patent No. 4,677,466.

If a media link is detected from the current segment of the current program at the block 54, the media link is logged at a block 56. Because a media link is detected in the program of interest, it may not be necessary to save any broadcast signatures which may have been extracted from the current program prior to the time at which the media link is detected. If so, the software routine 50 at a block 58 deletes from the log only the broadcast signatures extracted by the signature extractor 20 from the current program, and program flow thereafter returns to the block 52 to wait for the next program of interest .

On the other hand, if a media link is not detected from the current segment of the current program at the block 54, the software routine 50 at a block 60 extracts a

Attorney Docket  
28049/34692

broadcast signature from the current program appearing at the output of the tuner 14. The software routine 50 at a block 62 logs the broadcast signature extracted by the signature extractor 20 at the block 60.

5           The software routine 50 then determines at a block 64 whether an end to the current program is detected. For example, the software routine 50 at the block 52 may operate in accordance with the above mentioned U.S. Patent No. 4,677,466 in order to determine the end of the current  
10           program. If an end to the current program is not yet detected, program flow returns to the block 54 in order to search for a media link from the next segment of the current program.

          On the other hand, if an end of the current  
15           program is detected at the block 64, program flow returns to the block 52 in order to process a next program. In this case, the current program contained no media link and the current program will be identified by the computer 32 from the extracted broadcast signatures.

20           Instead of identifying a program from a media link, the media link may be used to better focus the search for reference signatures which match broadcast signatures.

Attorney Docket  
28049/34692

5 This use of a media link is particularly valuable in those instances where the media link is not unique, i.e., where the media link is used in more than one program and, therefore, does not uniquely identify a program. In addition to a media link, other information which is ancillary to the program content contained in the program signal, such as closed captioning information, may be used for this reference signature search focusing. Accordingly, media links, closed captioning information, or other such ancillary information may be referred to herein as content ancillary information (CAI).

10 A software routine 100, which is illustrated in Figures 3 and 4, uses content ancillary information in order to focus the search for reference signatures that are to be compared to broadcast signatures during the process of  
15 identifying a program. The communication equipment 26 may employ, in addition to a transmitter, a computer in order to execute the software routine 100.

20 The software routine 100, at a block 102, determines from the output of the tuner 14 whether a program of interest is received, as before. If a program of interest is not detected at the block 102, the software

Attorney Docket  
28049/34692

routine 100 waits for a program of interest. However, if a program of interest is detected, the software routine 100 at a block 104 determines whether content ancillary information is detected by the media link detector 18 from a segment of the current program. If content ancillary information is detected from the current segment of the current program at the block 104, the content ancillary information is logged at a block 106.

On the other hand, if content ancillary information is not detected from the current segment of the current program at the block 104, or after the content ancillary information is logged at a block 106, the software routine 100 at a block 108 extracts a broadcast signature from the current segment of the current program. The software routine 100 at a block 110 logs the broadcast signature extracted by the signature extractor 20 at the block 60.

The software routine 100 then determines at a block 112 whether an end to the current program is detected. If an end to the current program is not yet detected, the software routine 100 at a block 114 waits for the next segment. When the next segment occurs, program flow returns

Attorney Docket  
28049/34692

to the block 104. When the end of a current program is detected at the block 112, a set of broadcast signatures has been extracted and stored for that program. Also, content ancillary information, if detected, is also stored for that program. This set of broadcast signatures is compared to reference signatures stored in a reference signature library as described below in an attempt to identify the program corresponding to this set of broadcast signatures.

Thus, if an end of the current program is detected at the block 112, the software routine 100 at a block 116 determines whether content ancillary information was detected in the program just processed by the blocks 102-114. If content ancillary information was detected in the program just processed by the blocks 102-114, a search of the reference signatures stored in the reference signature library is made at a block 118 in order to find reference signatures corresponding to the content ancillary information. Such reference signatures were previously extracted from a program containing the same content ancillary information and were loaded into the reference signature library in association with the corresponding content ancillary information.



Attorney Docket  
28049/34692

5 If content ancillary information was not detected  
in the program just processed by the blocks 102-114, hash  
codes corresponding to the broadcast signatures extracted at  
the block 108 may be computed at a block 120. A search of  
the reference signatures stored in the reference signature  
library is made at a block 122 in order to find reference  
signatures corresponding to the hash codes computed at the  
block 120. (Alternatively, the broadcast signatures  
extracted at the block 108 may be compared to all reference  
10 signatures in the reference signatures library.)

15 The reference signatures found at the block 118 or  
at the block 122 are compared at a block 124 to the  
broadcast signatures extracted from the program at the block  
108. If a sufficient match is found at the block 124, the  
identification of the program stored in the reference  
signature library along with the matching reference  
signatures is saved at a block 126 for later transmission to  
the central facility 28. The time at which the program was  
received, the length of the program as detected, the channel  
20 in which the program was detected, and other relevant  
information may also be stored at the block 126 along with  
the program identification.

Attorney Docket  
28049/34692

5 If a match is not found at the block 124, the  
broadcast signatures extracted from the program at the block  
108 and the content ancillary information, if any, for the  
program are saved at a block 128 for later clustering and  
transmission to the central facility 28 so that the program  
can be identified during new program discovery. The time at  
which the program was received, the length of the program as  
detected, the channel in which the program was detected, and  
other relevant information may also be stored at the block  
10 128 along with the broadcast signatures extracted at the  
block 108 and the content ancillary information, if any,  
detected at the block 104. After the identification is  
saved at the block 126, or after the broadcast signatures  
and content ancillary information are saved at the block  
15 128, program flow returns to the block 102 to process the  
next program of interest.

20 Content ancillary information can also be used  
during clustering performed by the monitoring equipment 10  
and/or by the central facility 28 in order to cluster  
broadcast signatures corresponding to unknown programs.  
Unknown programs are those programs whose broadcast  
signatures did not favorably compare to any reference

Attorney Docket  
28049/34692

signatures stored in the reference signature library and/or which did not contain a program identifying code such as a media link. Accordingly, to implement clustering, the computer employed in the communication equipment 26 and/or the computer 32 of the central facility 28 may execute a software routine 200 shown in Figure 5.

The time for clustering is determined at a block 202. For example, clustering by the monitoring equipment 10 and/or by the computer 32 may be performed periodically, such as once a day, or in response to an event such as a poll or an instruction from a user, or the like. When it is time for clustering as determined at the block 202, the broadcast signatures corresponding to one unknown program are compared to the broadcast signatures corresponding to other unknown programs at a block 204 based upon the content ancillary information associated with each set of broadcast signatures. Thus, all sets of broadcast signatures corresponding to the same first content ancillary information (e.g., CAI1) are compared to one another. Duplicates are then eliminated so that only set of broadcast signatures corresponding to content ancillary information CAI1 is kept. Similarly, all sets of broadcast signatures

Attorney Docket  
28049/34692

corresponding to the same second content ancillary  
information (e.g., CAI2) are compared to one another, and  
duplicates are then eliminated so that only set of broadcast  
signatures corresponding to content ancillary information  
5 CAI2 is kept. This process is repeated for each of the  
remaining content ancillary informations. Then, each set of  
broadcast signatures which did not have a content ancillary  
information associated therewith is compared at a block 206  
to all other remaining sets of broadcast signatures,  
10 including those remaining sets of broadcast signatures  
having content ancillary information associated therewith,  
and any duplicates are eliminated. As a result of the  
processing at the blocks 204 and 206, the remaining sets of  
broadcast signatures are unique and the software routine 200  
15 ends. As a result, it is necessary to view an unknown  
program only once during new program discovery.

Certain modifications of the present invention  
have been discussed above. Other modifications will occur  
to those practicing in the art of the present invention.  
20 For example, the tuner 14 may be a tuner which tunes to a  
single channel so that a tuner 14 is required for each  
channel to be monitored. In this case, a multiplexer may be

Attorney Docket  
28049/34692

arranged to multiplex signals from some or all of the instances of the tuner 14 to the meter 17 so that each multiplexed output of the instances of the tuner 14 is processed in turn by the monitoring equipment 10.

5 Alternatively, instead of multiplexing, each tuner 14 may be provided in its own set of monitoring equipment 10. On the other hand, the tuner 14 may be a scanning tuner for tuning to each of the channels available at the monitoring equipment 10, or the channels may be divided up between  
10 several scanning tuners or between a combination of scanning tuners and non-scanning tuners.

Also, as discussed above, the signature extractor 20 is arranged to extract signatures from the programs to which the tuner 14 is tuned. However, other program  
15 identifying data may be captured instead of, or in addition to, signatures. For example, AMOL codes may be detected. Also, the monitoring equipment may be arranged to prompt audience members to manually input a program identification in the event that a media link is not found in a program.  
20 In this case, the non-media link program identifying datum is the manually entered program identification.

Attorney Docket  
28049/34692

Moreover, it is not necessary to delete from the log those broadcast signatures which are extracted from a program from which a media link is also detected. In this case, the block 58 may be eliminated.

Furthermore, as described above, the meter 17 operate in accordance with the software routine 50. However, the meter 17 may be implemented in hardware, in a combination of software or hardware, or the like.

Accordingly, the description of the present invention is to be construed as illustrative only and is for the purpose of teaching those skilled in the art the best mode of carrying out the invention. The details may be varied substantially without departing from the spirit of the invention, and the exclusive use of all modifications which are within the scope of the appended claims is reserved.

WHAT IS CLAIMED IS:

1                   1. A detection apparatus for the detection of a  
2 media link embedded in a program comprising:

3                   a tuner tuned to the program; and,  
4                   a meter coupled to the tuner and arranged to  
5 detect the media link embedded in the program tuned by the  
6 tuner.

1                   2. The detection apparatus of claim 1 wherein the  
2 tuner comprises a scanning tuner.

1                   3. The detection apparatus of claim 2 wherein the  
2 scanning tuner tunes to a plurality of channels, and wherein  
3 the meter is arranged to detect media links from programs  
4 carried in the tuned channels.

1                   4. The detection apparatus of claim 1 further  
comprising a program identifier, wherein the program  
3 identifier is arranged to identify the program directly from  
4 the media link.

Attorney Docket  
28049/34692

1                   5. The detection apparatus of claim 1 further  
2 comprising a program identifier, wherein the program  
3 identifier is arranged to identify the program by accessing  
4 a content provider.

1                   6. The detection apparatus of claim 1 further  
2 comprising a program identifier, wherein the program  
3 identifier is arranged to received a manual identification  
4 of the program.

1                   7. The detection apparatus of claim 1 wherein the  
2 media link is a URL.

1                   8. The detection apparatus of claim 1 wherein the  
2 media link is a code referenced to a URL.

1                   9. A data acquisition system for the acquisition  
2 of identifying data from a program comprising:

                  a tuner tuned to the program; and,

4                   a meter coupled to the tuner and arranged to  
5 capture first and second program identifying datum  
6 identifying the program tuned by the tuner, wherein the



Attorney Docket  
28049/34692

7 first program identifying datum is a media link embedded in  
8 the program, and wherein the second program identifying  
9 datum is a program identifying datum other than a media  
10 link.

1 10. The data acquisition system of claim 9  
2 wherein the tuner comprises a scanning tuner.

1 11. The data acquisition system of claim 10  
2 wherein the scanning tuner tunes to a plurality of channels,  
3 wherein the meter is arranged to capture media links from  
4 programs in the tuned channels, and wherein the meter is  
5 arranged to capture second program identifying data  
6 identifying programs in the tuned channels.

1 12. The data acquisition system of claim 9  
2 further comprising a program identifier arranged to identify  
3 the program from the first and/or second program identifying  
data.

Attorney Docket  
28049/34692

1           13. The data acquisition system of claim 12  
2 wherein the program identifier is arranged to identify the  
3 program by comparing the first and/or second program  
4 identifying data to corresponding first and/or second  
5 reference identifying data.

1           14. The data acquisition system of claim 9  
2 wherein the second program identifying datum is a signature  
3 extracted from the program.

1           15. The data acquisition system of claim 9  
2 wherein the data acquisition system is arranged to keep the  
3 second program identifying datum only if the meter fails to  
4 acquire the first program identifying datum.

1           16. The data acquisition system of claim 9  
2 further comprising a program identifier, wherein the program  
3 identifier is arranged to identify the program directly from  
the media link.

Attorney Docket  
28049/34692

1           17. The data acquisition system of claim 9  
2 further comprising a program identifier, wherein the program  
3 identifier is arranged to identify the program by accessing  
4 a content provider.

1           18. The data acquisition system of claim 9  
2 further comprising a program identifier, wherein the program  
3 identifier is arranged to receive a manual identification of  
4 the program.

1           19. The data acquisition system of claim 9  
2 wherein the media link is a URL.

1           20. The data acquisition system of claim 9  
2 wherein the media link is a code referenced to a URL.

1           21. The data acquisition system of claim 9  
2 wherein the meter is arranged to capture the second program  
3 identifying datum from the program only in the event that  
4 the meter is unable to capture the first program identifying  
5 datum from the program.

Attorney Docket  
28049/34692

1                   22. A program identification system comprising:  
2                   a tuner tunable to at least one of a plurality of  
3 channels;  
4                   a meter coupled to the tuner, wherein the meter is  
5 arranged to detect content ancillary information from a  
6 program carried in a channel tuned by the tuner and to  
7 extract a broadcast signature from the program; and,  
8                   a comparator arranged to compare the broadcast  
9 signature to a reference signature, wherein the reference  
10 signature is selected from a library of reference signatures  
11 based upon the content ancillary information.

1                   23. The program identification system of claim 22  
2 wherein the content ancillary information is a media link.

1                   24. The program identification system of claim 23  
2 wherein the media link is a URL.

2                   25. The program identification system of claim 23  
wherein the media link is a code referenced to a URL.

Attorney Docket  
28049/34692

1           26. The program identification system of claim 22  
2 wherein the content ancillary information is closed  
3 captioning information.

1           27. The program identification system of claim 22  
2 wherein, if the broadcast signature does not have associated  
3 content ancillary information, the comparator is arranged to  
4 compare the broadcast signature to a reference signature  
5 selected from a library of reference signatures based upon a  
6 hash code.

1           28. The program identification system of claim 22  
2 wherein the reference signature includes an identification  
3 of the program.

1           29. The program identification system of claim 22  
2 wherein the broadcast signature includes the channel and a  
3 time at which the broadcast signature is extracted.

1           30. The program identification system of claim 29  
2 wherein the reference signature includes an identification  
3 of the program.

Attorney Docket  
28049/34692

1           31. A method of clustering signatures comprising  
2 the following steps:

3           a) extracting broadcast signatures from programs;

4           b) detecting content ancillary information from  
5 the programs; and,

6           c) comparing one of the broadcast signatures  
7 having content ancillary information associated therewith to  
8 others of the broadcast signatures having associated  
9 therewith substantially the same content ancillary  
10 information.

1           32. The method of claim 31 wherein step c)  
2 comprises the following step:

3           comparing the one broadcast signature to others of  
4 the broadcast signatures not having associated therewith any  
5 content ancillary information.

1           33. The method of claim 31 wherein step c)  
2 comprises the following step:

3           comparing the one broadcast signature to others of  
4 the broadcast signatures having content ancillary

Attorney Docket  
28049/34692

5 information associated therewith which are different than  
6 the content ancillary information associated with the one  
7 broadcast signature.

1 34. The method of claim 31 wherein the one  
2 broadcast signature is a first broadcast signature, and  
3 wherein step c) comprises the following step:  
4 comparing a second broadcast signature to others  
5 of the broadcast signatures not having content ancillary  
6 information associated therewith, wherein the second  
7 broadcast signature also does not have content ancillary  
8 information associated therewith.

1 35. The method of claim 31 wherein the content  
2 ancillary information is a media link.

1 36. The method of claim 35 wherein the media link  
2 is a URL.

1 37. The method of claim 35 wherein the media link  
2 is a code referenced to a URL.

Attorney Docket  
28049/34692

1                   38. The method of claim 31 wherein the content  
2 ancillary information is closed captioning information.

1                   39. The method of claim 31 further comprising the  
2 step of comparing the one broadcast signature to a reference  
3 signature, wherein the reference signature is selected from  
4 a library of reference signatures based on the content  
5 ancillary information.

1                   40. The method of claim 39 wherein the content  
2 ancillary information is a media link.

1                   41. The method of claim 40 wherein the media link  
2 is a URL.

1                   42. The method of claim 40 wherein the media link  
2 is a code referenced to a URL.

1                   43. The method of claim 39 wherein the content  
2 ancillary information is closed captioning information.






FIGURE 1




FIGURE 2




FIGURE 3

FIGURE 4




FIGURE 5

